



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/665,788	09/17/2003	Robert S. Schwartz	20220-502	6741

37374 7590 02/14/2006

INSKEEP INTELLECTUAL PROPERTY GROUP, INC  
2281 W. 190TH STREET  
SUITE 200  
TORRANCE, CA 90504

EXAMINER

SNOW, BRUCE EDWARD

ART UNIT PAPER NUMBER

3738

DATE MAILED: 02/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

88

**Office Action Summary**

Application No.

10/665,788

Applicant(s)

SCHWARTZ ET AL.

Examiner

Bruce E. Snow

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 25 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 November 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Drawings***

The drawing submitted 11/30/05 are accepted by the Examiner.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 1 recites the limitation "said body lumen" in line 5. There is insufficient antecedent basis for this limitation in the claim.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kensey et al (5,409,44, applicant cited on IDS 1/21/05) in view of Bouvier (WO 99/04832, applicant cited).

Kensey et al teaches a device comprising:

a sealed membrane including 202 forming an inner cavity,

a medium disposed in said inner cavity, said inner cavity having a portion sized for placement external to said body lumen 206 and a portion sized for placement internal 202 to said body lumen, said medium being movable between said internal and external portions in response to pressure fluctuations in said body lumen, thereby therapeutically dampening pressure fluctuations in the body lumen.

However, Kensey et al is silent regarding a media port. Bouvier teaches a similar compliance device including a port. It would have been obvious to one having ordinary skill in the art to have included the port as taught by Bouvier on the compliance device of Kensey et al such the medium could be adjusted to best suit the patient.

Regarding claim 2, see element 208.

Kensey et al teaches the device using a gas and wherein the external portion 206 can be variable (which could except a liquid), however, fails to teach a using a liquid. Lacking any criticality in the specification the use of a liquid in lieu of that used by Kensey et al produces no advantage and is considered an obvious matter of design choice to one skilled in the art. Additionally, it would have been obvious to one having ordinary skill in the art to have utilized a liquid which is more compatible to the blood than a gas in case of failure.

Kensey et al teaches urethane but fails to teach silicone. Lacking any criticality in the specification the use of silicone produces no advantage and is considered an obvious matter of design choice to one skilled in the art. Additionally, it would have been obvious to one skilled in the art of have silicone as a flexible biocompatible material (see column 4, lines 33-41 of Kensey et al) which is easily moldable and low priced.


Kensey et al fails to teach a coating of a biocompatible configuration. It would have been obvious to one skill in the art to have utilized a coating configuration on at least element 208 to increase sealing where the implant extends through the vessel wall.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce E Snow whose telephone number is (703) 308-3255. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (703)308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bes



**BRUCE SNOW**  
PRIMARY EXAMINER